

CHANNEL HOOKUP

Channel	Dim	Purpose	Position & Unit#	Inst Type & Watt	Accessory
(1)	96	Front DL	Booth Cat Low #1	Source Four 26° 575w	S4 Top Hat
(2)	91	Front DC	Booth Cat Low #2	Source Four 26° 575w	S4 Top Hat
(3)	87	Front DR	Booth Cat Low #3	Source Four 26° 575w	S4 Top Hat
(4)	95	Front ML	Booth Cat High #3	Source Four 26° 575w	S4 Top Hat
(5)	92	Front MC	Booth Cat High #5	Source Four 26° 575w	S4 Top Hat
(6)	88	Front MR	Booth Cat High #7	Source Four 26° 575w	S4 Top Hat
(7)	82	Front UL	1 Cat US Low #3	Source Four 26° 575w	S4 Top Hat
(8)	78	Front UC	1 Cat US Low #5	Source Four 26° 575w	S4 Top Hat
(9)	75	Front UR	1 Cat US Low #7	Source Four 26° 575w	S4 Top Hat
(21)	114	Side< DL	SL Gallery Low #1	Source Four 50° 575w	
(22)	109	Side< DC	SL Gallery High #2	Source Four 36° 575w	
(23)	115	Side< DR	SL Goalpost High #1	Source Four 26° 575w	S4 Top Hat
(24)	112	Side< ML	SL Gallery Low #2	Source Four 50° 575w	
(25)	111	Side< MC	SL Gallery High #3	Source Four 36° 575w	
(26)	54	Side< MR	2 Cat US High #1	Source Four 26° 575w	
(27)	19	Side< UL	SL Gallery Low #3	Source Four 50° 575w	
(28)	108	Side< UC	SL Gallery High #5	Source Four 36° 575w	
(29)	21	Side< UR	2B Pipes #1	Source Four 26° 575w	
(31)	144	Diag\ DL	SL Gallery High #1	Source Four 26° 575w	S4 Top Hat
(32)	140	Diag\ DC	SL Box Boom High #2	Source Four 26° 575w	S4 Top Hat
(33)	139	Diag\ DR	SL Box Boom High #1	Source Four 19° 575w	S4 Top Hat
(34)	119	Diag\ ML	Booth Cat High #1	Source Four 19° 575w	S4 Top Hat
(35)	93	Diag\ MC	Booth Cat High #2	Source Four 19° 575w	S4 Top Hat
(36)	94	Diag\ MR	Booth Cat High #4	Source Four 19° 575w	S4 Top Hat
(37)	84	Diag\ UL	1 Cat US Low #1	Source Four 19° 575w	S4 Top Hat
(38)	83	Diag\ UC	1 Cat US Low #2	Source Four 19° 575w	S4 Top Hat
(39)	81	Diag\ UR	1 Cat US Low #4	Source Four 19° 575w	S4 Top Hat

CHANNEL HOOKUP

Channel	Dim	Purpose	Position & Unit#	Inst Type & Watt	Accessory
(41)	125	Side> DL	SR Goalpost High #1	Source Four 26° 575w	S4 Top Hat
(42)	123	Side> DC	SR Gallery High #2	Source Four 36° 575w	
(43)	124	Side> DR	SR Gallery Low #1	Source Four 50° 575w	
(44)	38	Side> ML	2 Cat US High #2	Source Four 26° 575w	
(45)	122	Side> MC	SR Gallery High #3	Source Four 36° 575w	
(46)	121	Side> MR	SR Gallery Low #2	Source Four 50° 575w	
(47)	33	Side> UL	2B Pipes #2	Source Four 26° 575w	
(48)	36	Side> UC	SR Gallery High #5	Source Four 36° 575w	
(49)	35	Side> UR	SR Gallery Low #3	Source Four 50° 575w	
(51)	135	Diag/ DL	SR Box Boom High #1	Source Four 19° 575w	S4 Top Hat
(52)	131	Diag/ DC	SR Box Boom High #2	Source Four 26° 575w	S4 Top Hat
(53)	129	Diag/ DR	SR Gallery High #1	Source Four 26° 575w	S4 Top Hat
(54)	86	Diag/ ML	Booth Cat High #6	Source Four 19° 575w	S4 Top Hat
(55)	134	Diag/ MC	Booth Cat High #8	Source Four 19° 575w	S4 Top Hat
(56)	85	Diag/ MR	Booth Cat High #9	Source Four 19° 575w	S4 Top Hat
(57)	76	Diag/ UL	1 Cat US Low #6	Source Four 19° 575w	S4 Top Hat
(58)	74	Diag/ UC	1 Cat US Low #8	Source Four 19° 575w	S4 Top Hat
(59)	73	Diag/ UR	1 Cat US Low #9	Source Four 19° 575w	S4 Top Hat
(61)	23	BackA DL	3 Cat DS Low #1	S4 Par MFL 575w	7.5" Barndoor
(62)	26	BackA DC	3 Cat DS Low #3	S4 Par MFL 575w	7.5" Barndoor
(63)	34	BackA DR	3 Cat DS Low #6	S4 Par MFL 575w	7.5" Barndoor
(64)	110	BackA ML	US Bridge High #1	S4 Par MFL 575w	7.5" Barndoor
(65)	101	BackA MC	US Bridge High #3	S4 Par MFL 575w	7.5" Barndoor
(66)	100	BackA MR	US Bridge High #6	S4 Par MFL 575w	7.5" Barndoor
(67)	105	BackA UL	US Gallery High #1	S4 Par WFL 575w	7.5" Barndoor
(68)	103	BackA UC	US Gallery High #3	S4 Par WFL 575w	7.5" Barndoor
(69)	98	BackA UR	US Gallery High #6	S4 Par WFL 575w	7.5" Barndoor
(81)	24	BackB DL	3 Cat DS Low #2	S4 Par MFL 575w	7.5" Barndoor
(82)	29	BackB DC	3 Cat DS Low #4	S4 Par MFL 575w	7.5" Barndoor

CHANNEL HOOKUP

Channel	Dim	Purpose	Position & Unit#	Inst Type & Watt	Accessory
(83)	31	BackB DR	3 Cat DS Low #5	S4 Par MFL 575w	7.5" Barndoor
(84)	107	BackB ML	US Bridge High #2	S4 Par MFL 575w	7.5" Barndoor
(85)	104	BackB MC	US Bridge High #4	S4 Par MFL 575w	7.5" Barndoor
(86)	99	BackB MR	US Bridge High #5	S4 Par MFL 575w	7.5" Barndoor
(87)	106	BackB UL	US Gallery High #2	S4 Par WFL 575w	7.5" Barndoor
(88)	102	BackB UC	US Gallery High #4	S4 Par WFL 575w	7.5" Barndoor
(89)	97	BackB UR	US Gallery High #5	S4 Par WFL 575w	7.5" Barndoor
(91)	117	ASL Special	SL Box Boom Low #3	Source Four Jr. Zoom 575w	
(92)	132	ASL Special	SR Box Boom Low #3	Source Four Jr. Zoom 575w	
(93)	142	Works Front	SL Box Boom Low #1	6" Fresnel 750w	
	143	"	SL Box Boom Low #2	"	
	137	"	SR Box Boom Low #1	"	
	136	"	SR Box Boom Low #2	"	
(94)	32	Works Side<	SL Gallery High #4	6" Fresnel 750w	
	49	Works Side>	SR Gallery High #4	"	
(95)	11	Works Back	US Bridge Low #1	6" Fresnel 750w	
	7	"	US Bridge Low #2	"	
(96)	181	House (Row 1)	House Lights #1	House Lights	
	182	House (Row 2 sides)	House Lights #3	"	
	187	House Voms	House Lights #4	"	
(97)	58	House Sides (DL)	2 Cat DS Low #1	6" Fresnel 750w	7.5" Barndoor
	72	House Sides (DR)	2 Cat DS Low #5	"	"
	51	House Sides (UL)	A PIPE #1	"	"
	39	House Sides (UR)	D PIPE #1	"	"
(98)	185	House (Row 2 center)	House Lights #2	House Lights	
	183	House (Row 3)	House Lights #7	"	
	184	House (Row 4 center)	House Lights #8	"	
	186	House (Row 4 sides)	House Lights #9	"	
(99)	188	House Tunnel	House Lights #10	House Lights	
(100)	189	Stair LEDs	House Lights #11	House Lights	